

Safety Data Sheet

Version number: 10.3 2020-12-04 SDS# K7351S

SECTION 1: Identification

1.1 Product identifier

Trade name K-7351S, K-7366, K-7361S, K-7371S, K-7376

Other means of identification Chemical Oxygen Demand (COD) Vials

1.2 Relevant identified uses of the substance or mixture and uses advised against

Component of water analysis test kits: K-7351S, K-7366, K-7361S, K-7366, K-7371S, K-7376

1.3 Details of the supplier of the safety data sheet

CHEMetrics, Inc. 4295 Catlett Road Midland VA 22728 United States

Telephone: 1-540-788-9026 Telefax: 1-540-788-4856

e-mail: technical@chemetrics.com Website: www.chemetrics.com

1.4 Emergency telephone number

Emergency information service ChemTel Inc.: 1-800-255-3924, +01-813-248-0585

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment	
3.10	acute toxicity (oral)	5	Acute Tox. 5	H303	
3.1I	acute toxicity (inhal.)	3	Acute Tox. 3	H331	
3.2	skin corrosion/irritation	1A	Skin Corr. 1A	H314	
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318	
3.4R	respiratory sensitization	1	Resp. Sens. 1	H334	
3.45	skin sensitization	1	Skin Sens. 1	H317	
3.5	germ cell mutagenicity	1B	Muta. 1B	H340	
3.6	carcinogenicity	1A	Carc. 1A	H350	
3.7	reproductive toxicity	1B	Repr. 1B H360FD		

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.9	specific target organ toxicity - repeated exposure	1	STOT RE 1	H372
4.1A	hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS05, GHS06, GHS08,

GHS09









- Hazard statements

H303 May be harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

- Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dusts or mists.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.
P280 Wear eye protection/face protection.

P284 In case of inadequate ventilation wear respiratory protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P363 Wash contaminated clothing before reuse.

- Precautionary statements

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container to industrial combustion plant.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
sulfuric acid	CAS No 7664-93-9	65 – 87	Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 Carc. 1A / H350	
water	CAS No 7732-18-5	10 – 34		
silver sulfate	CAS No 10294-26-5	≤1	Eye Dam. 1 / H318	
potassium dichromate	CAS No 7778-50-9	≤1	Acute Tox. 3 / H301 Acute Tox. 4 / H312 Acute Tox. 2 / H330 Skin Corr. 1B / H314 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 1B / H340 Carc. 1A / H350 Repr. 1B / H360FD STOT SE 3 / H335 STOT RE 1 / H372 Ox. Sol. 2 / H272	! 4

For full text of abbreviations: see SECTION 16.

SECTION 4: First-aid measures

4.1 Description of first- aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Wear Impact- and splash-resistant eyewear.

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Never add water to this product.

- Handling of incompatible substances or mixtures

Do not mix with alkali.

- Keep away from

Caustic solutions

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Ventilation requirements

Keep any substance that emits harmful vapors or gases in a place that allows these to be permanently extracted.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Other information

For optimum analytical performance, store in the dark and at room temperature.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [mg/m³]	Source
US	sulfuric acid	7664-93-9	PEL (CA)	0.1		3		Cal/ OSHA PEL
US	sulfuric acid	7664-93-9	REL	1 (10 h)				NIOSH REL

Occupational exposure limit values (Workplace Exposure Limits)

Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [mg/m³]	Nota- tion	Source
US	sulfuric acid	7664-93-9	PEL		1					29 CFR 1910.100 0
US	sulfuric acid	7664-93-9	TLV®		0.2				t	ACGIH® 2019
US	chromium(VI), inor- ganic compounds, soluble	7778-50-9	TLV®		0.05				Cr	ACGIH® 2019
US	chromium(VI) compounds	7778-50-9	PEL (CA)		0.005			0.1	Cr	Cal/ OSHA PEL
US	chromium(VI) com- pounds	7778-50-9	PEL		0.005				Cr	29 CFR 1910.100 0
US	chromium(VI) com- pounds	7778-50-9	REL		0.0002				Cr, ap- px-C	NIOSH REL

Notation

appx-C Appendix C - Supplementary Exposure Limits

Ceiling-C ceiling value is a limit value above which exposure should not occur

Cr calculated as Cr (chromium)

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

t thoracic fraction

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-

weighted average (unless otherwise specified

Relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
sulfuric acid	7664-93-9	DNEL	0.05 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
sulfuric acid	7664-93-9	DNEL	0.1 mg/m ³	human, inhalatory	worker (industry)	acute - local effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
sulfuric acid	7664-93-9	PNEC	0.003 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
sulfuric acid	7664-93-9	PNEC	0 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
sulfuric acid	7664-93-9	PNEC	8.8 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sulfuric acid	7664-93-9	PNEC	0.002 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
sulfuric acid	7664-93-9	PNEC	0.002 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)

Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
silver sulfate	10294-26-5	PNEC	0.04 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
silver sulfate	10294-26-5	PNEC	0.86 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
silver sulfate	10294-26-5	PNEC	0.025 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
silver sulfate	10294-26-5	PNEC	438.1 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
silver sulfate	10294-26-5	PNEC	438.1 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
silver sulfate	10294-26-5	PNEC	0.794 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)
potassium dichromate	7778-50-9	PNEC	0 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
potassium dichromate	7778-50-9	PNEC	0.21 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
potassium dichromate	7778-50-9	PNEC	0.15 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
potassium dichromate	7778-50-9	PNEC	0.15 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
potassium dichromate	7778-50-9	PNEC	0.035 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Product description COD Vials: Glass reagent vials with screw caps, 16 mm OD, for instrumental colorimetric water analysis. Each K-7351S, K-7356, K-7361S, and K-7366 vial contains 3.3 mL of liquid reagent. Each K-7371S and K-7376 vial contains 5.1 mL of liquid reagent. K-7351S, K-7361S, and K-7371S kits contain 25 vials. K-7356 and K-7366 kits contain 150 vials. The K-7376 kit contains 98 vials.

Appearance

Physical state	liquid
Color	Yellow, amber, or orange
Odor	characteristic

Other safety parameters

pH (value)	<1 (acid)
Melting point/freezing point	not determined
Initial boiling point and boiling range	>100 °C
Flash point	not determined
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapor pressure	not determined
Density	not determined
Vapor density	this information is not available
Relative density	>1 (water = 1)

Solubility(ies)

- Water solubility	miscible in any proportion
--------------------	----------------------------

Partition coefficient

- n-octanol/water (log KOW)	this information is not available

Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Toxic if inhaled.

GHS of the United Nations, annex 4: May be harmful if swallowed.

- Acute toxicity estimate (ATE)

Inhalation: vapor 3.448 ^{mg}/_I/4h

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
sulfuric acid	7664-93-9	inhalation: vapor	3 ^{mg} / _l /4h
sulfuric acid	7664-93-9	inhalation: dust/mist	0.85 ^{mg} / _l /4h
potassium dichromate	7778-50-9	oral	129.5 ^{mg} / _{kg}
potassium dichromate	7778-50-9	inhalation: dust/mist	0.099 ^{mg} / _l /4h

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

May cause genetic defects.

Carcinogenicity

May cause cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
sulfuric acid	7664-93-9	1	
potassium dichromate	18540-29-9	1	

Legend

Carcinogenic to humans

National Toxicology Program (United States): Report on Carcinogens

Name of substance	CAS No	Classification	Number
sulfuric acid	7664-93-9	Known to be a human carcinogen	9th Report on Carcinogens
potassium dichromate	18540-29-9	Known to be human carcinogens	1st Report on Carcinogens

29 CFR 1910/1915/1926 Occupational Safety and Health Standards: Toxic and Hazardous Substances (carcinogens)

Name of substance	CAS No	Type of registration
potassium dichromate	18540-29-9	GI §1910.1026, SE §1915.1026, CI §1926.1126

Legend

 CI \$1926.1126
 Construction Industry (29 CFR 1926.1126)\$us_oshacarc_1_2017

 GI \$1910.1026
 General Industry (29 CFR 1910.1026)\$us_oshacarc_1_2017

 SE \$1915.1026
 Shipyard Employment (29 CFR 1915.1026)\$us_oshacarc_1_2017

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sulfuric acid	7664-93-9	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h
sulfuric acid	7664-93-9	ErC50	>100 ^{mg} / _l	algae	72 h
silver sulfate	10294-26-5	LC50	1.2 ^{µg} / _l	fish	96 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
silver sulfate	10294-26-5	EC50	0.8 ^{µg} / _l	aquatic invertebrates	7 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods please consider the relevant national or regional

provisions

SECTION 14: Transport information

14.1 UN number 2922

14.2 UN proper shipping name UN2922, Corrosive liquid, toxic, n.o.s., (contains:

sulfuric acid, potassium dichromate), 8 (6.1), II, en-

vironmentally hazardous

Technical name (hazardous ingredients) sulfuric acid, potassium dichromate

14.3 Transport hazard class(es)

Class 8 (corrosive substances)

Subsidiary risk(s) 6.1 (acute toxicity)

14.4 Packing group II (substance presenting medium danger)

14.5 Environmental hazards hazardous to the aquatic environment

Environmentally hazardous substance (aquatic

environment)

sulfuric acid

14.6 Other relevant information

Shipping container markings and labels for this product, as received, may vary from the contents of section 14 of the SDS for one or both of the following reasons:

•CHEMetrics has packaged this product as Dangerous Goods in Excepted Quantities according to IATA, US DOT, and IMDG regulations.

•CHEMetrics has packaged this product as part of a test kit or reagent set composed of various chemical reagents and elected to ship as UN 3316 Chemical Kit, Hazard Class 9, Packing Group II or III. In case of reshipment, it is the responsibility of the shipper to determine appropriate labels and markings in accordance with applicable transportation regulations.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Index number 2922

Proper shipping name UN2922, Corrosive liquid, toxic, n.o.s., (contains:

sulfuric acid, potassium dichromate), 8 (6.1), II, en-

vironmentally hazardous

- Reportable quantity (RQ) 1,000 lbs (454 kg) (potassium dichromate) (sulfuric acid)

Class 8

Subsidiary risk(s) 6.1

Packing group II

Danger label(s) 8+6.1, fish and tree



Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) B3, IB2, T7, TP2

ERG No 154

International Maritime Dangerous Goods Code (IMDG)

UN number 2922

Proper shipping name UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (con-

tains: sulfuric acid, potassium dichromate), 8 (6.1),

II, MARINE POLLUTANT

Class 8

Subsidiary risk(s) 6.1

Marine pollutant Yes (hazardous to the aquatic environment)

Packing group II

Danger label(s) 8+6.1, fish and tree



Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-A, S-B

International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 2922

Proper shipping name UN2922, Corrosive liquid, toxic, n.o.s., (contains:

sulfuric acid, potassium dichromate), 8 (6.1), II

Class 8

Subsidiary risk(s) 6.1

Environmental hazards yes (hazardous to the aquatic environment)

Packing group II

Danger label(s) 8+6.1



Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed

Superfund Amendment and Reauthorization Act (SARA TITLE III)

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities

Name of substance	CAS No	Notes	Reportable quant- ity (pounds)	Threshold plan- ning quantity (pounds)
sulfuric acid	7664-93-9		1,000	1000

⁻ Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings

Name of substance	CAS No	Remarks	Effective date
sulfuric acid	7664-93-9	acid aerosols including mists, va- pors, gas, fog, and other airborne forms of any particle size	1986-12-31

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
sulfuric acid	7664-93-9		1	1000 (454)
potassium dichromate	7778-50-9		1	10 (4,54)

Legend

Clean Air Act

none of the ingredients are listed

[&]quot;1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

Right to Know Hazardous Substance List

- Hazardous Substance List (NJ-RTK)

Name of substance	CAS No	Remarks	Classifications
sulfuric acid	7664-93-9		CA CO R2
silver sulfate			
potassium dichromate	7778-50-9		CA MU
potassium dichromate			CA
potassium dichromate			

Legend

CA Carcinogenic
CO Corrosive
MU Mutagenic

R2 Reactive - Second Degree

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
US	TSCA	all ingredients are listed
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed

Legend

AICS Australian Inventory of Chemical Substances
CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H272	May intensify fire; oxidizer.
H301	Toxic if swallowed.
H303	May be harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.